

251 North Avenue West, 2nd Floor
Westfield, New Jersey 07090
Tel.: (908) 518-7700
Fax: (908) 518-7795

Mayer & Williams PC
Intellectual Property Law

Fax

To: Examiner Laura C. Schell

From: Marjorie Scariati

Group Art Unit 3767

Fax: 571-273-8300

Pages: 10

Phone: 571-272-7881

Date: 11/12/2008

Re: 10/757,159

CC:

☐ Urgent ☒ For Review ☐ Please Comment ☐ Please Reply ☐ Please Recycle

PRIVACY AND CONFIDENTIALITY NOTICE

The information contained in this communication is confidential and may be legally privileged. It is intended solely for the use of the individual or entity to whom it is addressed and others authorized to receive it. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or taking of any action in reliance on the contents of this information is strictly prohibited.

If you received this communication in error, please immediately notify us by a collect telephone call to the writer and return the original message and documents to us at the above address via the United States postal service

Please see the attached Petition and Response to Restriction Requirement

*Resending as only 9 pages
were successfully transmitted
initially -*

Serial No.: 10/757,159
Examiner: Laura C. Schell
Group Art Unit: 3767

RECEIVED
CENTRAL FAX CENTER
NOV 12 2008

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant: Barry N. Gellman
Serial No.: 10/757,159
Filed: January 14, 2004
Title: SHEAR-SENSITIVE INJECTABLE DELIVERY SYSTEM
Art Unit: 3767
Examiner: Laura C. Schell
Confirm. No.: 3539
Docket No.: BSC-124D1 (now 99-0033US2)

Via Facsimile 571-273-8300
Mail Stop AMENDMENT
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

PETITION UNDER 37 CFR 1.136(a)
AND RESPONSE TO RESTRICTION REQUIREMENT

Sir:

This is filed in response to the Office Action dated August 14, 2008. Applicant hereby requests a two-month extension of time. A response is now due on November 14, 2008 and is being timely filed.

Please consider the following response to the restriction requirement Office Action: